

PLS-2000 MINI PRIVATE SERVER



PRODUCT PARAMETERS

HARDWARE	
SSD	256GB (1TB can be customized)
Running Memory	8GB
Network Port	2* Gigabit Ethernet
I/O Interface	2*USB3.0, 2*USB2.0, 1*COM, 2*LAN, 1*VGA, 1*HDMI, 1*SPK, 1*MIC
Shell Material	All-Aluminum Alloy Housing
	Compact and Strong, High Compression and Impact Resistance
Cooling System	High Density Metal Grid Heat Dissipation
Power On	Yes
Installation Method	Embedded, Wall Mounted, Flat Placed
Power Adapter	DC 12V-5A
Dimension(LxWxH)	134x124x36mm
Weight	650g

0S	
OS	Cent OS 7.8

ENVIRONMENTAL INDICATOR	
Working Temperature	-20°C ~ 65°C
Working Humidity	5% ~ 95% Relative Humidity, No Condensation

INRICO PoC-DMR CONVERGENCE SOLUTIONS



NO WARRANTY

This document may contain forecast information, including but not limited to information about product families, new technologies, etc. Many factors could be improved in practice, which may lead to a big difference between the actual information and the forecast information. Therefore, the information in this document is for reference only and does not constitute an offer or acceptance. The above information may be modified without notice.



Authorized Distributor : BAINISYS CO., LTD. Address : 117/8, Changwatthana 10, LakSi, Bangkok 10210 Line :@Bainisys Phone: (662) 094-0800 Web :www.inrico-thailand.com

